

SITE VISIT
RICO-ARGENTINE MINE
RICO, COLORADO
TDD #R8-8408-17

EPA REGIONAL SITE PROJECT OFFICER: THOMAS STAIBLE **FIT PROJECT OFFICER:** MARGARET BABITS

SUBMITTED TO: KEITH SCHWAB - FIT RPO
DATE SUBMITTED: OCTOBER 18, 1984



HAZARDOUS SITE CONTROL DIVISION

Wireles Market

Remedial Field Investigation Team (REM/FIT)

Team (REM/FIT)

CONTRACT NO. 68-01-6692

Ecology & Environment

SITE VISIT

AT THE

ANACONDA MINERALS COMPANY

RICO - ARGENTINE MINE


TDD #R8-8408-17

I. INTRODUCTION

In response to the Environmental Protection Agency's (EPA) Technical Directive Document (TDD) R8-8408-17, Ecology and Environment's Field Investigation Team, (FIT) visited the Rico-Argentine Mine near Rico, Colorado (Figure 1). At 0850 hours on Wednesday, October 10, 1984, FIT members Meg Babits, John Stetson and David Stoner met with Bob Dent of Anaconda Minerals Company. The intent of this visit was to determine sampling locations for a future sampling trip. Photographs taken during the visit are included in Appendix A.

II. SITE DESCRIPTION


The Rico - Argentine Mine is an inactive operation and is located one mile north of the town of Rico, Colorado. The mine is located in portions of Sections 24 and 25, Township 40 North, and Range 11 West. Operations consisted of a mill and tailings ponds near Silver Creek and an acid plant and cyanide heap leach and settling ponds along the Dolores River. There were two discharge points associated with the operation. Discharge point 001 was the discharge from the Blaine Tunnel on Silver Creek. There is no longer discharge from 001 and the water is redirected underground to the St. Louis Tunnel where it drains into the St. Louis Settling Pond System on the Dolores River. The outfall of the final pond is discharge point 002 (Figure 2).



Poor Quality Source Document

The following document images have been scanned from the best available source copy.

To view the actual hard copy, contact the Superfund Records Center at (303) 312-6473.



In April of 1984, Anaconda Minerals put into affect water treatment operations at the St. Louis adit. The operation consists of neutralization using slaked lime.

The city of Rico has their drinking water supply on Silver Creek above the major mining impacts. The water is treated through infiltration galleries and chlorinated.

Although Mr. Dent did not know if wells existed on site, the FIT identified two piezometers which were located between the Silver Creek tailings ponds and Silver Creek. Further investigation by Mr. Dent revealed that these were installed by Dames and Moore for geotechnical studies. The studies were to be used to assess the stability of the ponds and to assess the enlarging of the ponds.

APPENDIX A

Color Photo(s)

The following pages contain color that does not appear in the scanned images.

To view the actual images, please contact the Superfund Records Center at (303) 312-6473.



PHOTO 1: SILVER CREEK IN FOREGROUND AND BLAINE TUNNEL IN BACKGROUND. NOTE DISCHARGE FROM BLAINE TUNNEL INTO SILVER CREEK.



PHOTO 2: SILVER CREEK ABOVE BLAINE TUNNEL. NOTE LACK OF IRON STAINING ON ROCKS.




PHOTO 3: SILVER CREEK BELOW BLAINE TUNNEL. NOTE IRON STAINING ON ROCKS.

PHOTO 4: (RIGHT) LOCATION OF THE
TOWN OF RICO'S DRINKING
WATER SUPPLY FROM SILVER
CREEK ABOVE BLAINE
TUNNEL AND ABOVE MOST
MINING ACTIVITY.




PHOTO 5: (BELOW) SLOPE STABILIZA-TION ON SILVER CREEK EMBANKMENT BELOW BLAINE TUNNEL. TAILINGS PONDS OF RICO-ARGENTINE MINE ARE TO THE RIGHT.







PHOTO 6: THE INACTIVE RICO-ARGENTINE MILL IN THE SILVER CREEK AREA.



PHOTO 7: VIEW OF RICO-ARGENTINE'S UPPER TAILINGS PONDS LOOKING FROM THE MILL.



PHOTO 8: (ABOVE) RICO-ARGENTINE'S
LOWER TAILINGS PONDS.
SILVER CREEK IS TO THE
LEFT.








PHOTO 10: MERGING OF RICO-ARGENTINE'S LOWER TAILINGS POND RUNOFF AND SILVER CREEK.

PHOTO 11: (RIGHT) THE ST. LOUIS
ADDIT WHICH RECEIVES
DISCHARGE FROM BLAINE
TUNNEL THROUGH THE
UNDERGROUND ST. LOUIS
TUNNEL SYSTEM. THE
ADDIT IS IN THE
DOLORES RIVER AREA.




PHOTO 12: (BELOW) MILK OF LIME BEING ADDED TO THE ST. LOUIS ADDIT DISCHARGE.






PHOTO 13: STORAGE TANKS FOR INACTIVE SULFURIC ACID PLANT IN DOLORES RIVER AREA.




PHOTO 14: THE INACTIVE SULFURIC ACID PLANT. NOTE NUMEROUS DEAD TREES IN BACKGROUND.



PHOTO 15: CALCINE PONDS ON DOLORES RIVER BEING DREDGED.




PHOTO 16: TREATED MINE WATER BEING DISCHARGED INTO UPPER. SETTLING PONDS ON DOLORES RIVER.






PHOTO 17: (ABOVE) BANK
STABILIZATION ON
DOLORES RIVER OPPOSITE
LOWER SETTLING PONDS.








PHOTO 19: SILVER CREEK MERGING INTO THE DOLORES RIVER.